




*Cool Your Self with
Dana Water Coolers*

COMPANY PROFILE

The Coolest One



ABOUT US

Since its inception in 1991 Dana group's endeavor has always been to do their best in catering to the needs of valued customers with their high quality products and services, of course at reasonable rates. Sharing and practicing this principle are their corporate office, manufacturing units and showrooms in UAE, trading companies and manufacturing facilities in India and associate offices in West Africa, Qatar & India.

OUR GROUP COMPANIES

- * Seven Eagle International Trading L.L.C - Dubai, UAE
- * Dana Water Heaters & Coolers Factory L.L.C - Dubai, UAE
- * Dana Steel Processing Industry L.L.C - UAE
- * Dana Lubricants Factory L.L.C - Ajman, UAE
- * Dana Hospital Private Limited - Jaipur, India
- * Dana Mart Hypermarket LLC- UAE
- * Apika Enterprises Export House, Jaipur, India
- * Dana Steels PVT LTD - Bhiwadi, Rajasthan, India



DANA GROUP AJMAN OFFICE



DANA LUBRICANTS FACTORY LLC



DANAMART HYPERMARKET LLC



DANA STEEL - UAQ Branch



DANA LUBES OFFICE



DANA STEEL - Ajman Branch



DANA HEAD OFFICE



DANA HOSPITAL

CORE VALUES

- * We uphold honest business practices and nurture a mutually respectful and beneficial relationship with all our customers and suppliers.
- * We are passionate about achieving results that exceeds expectations.
- * We believe our employees are our greatest asset.
- * We embrace change and on the lookout to seize new opportunities at all time.
- * We scale to seek heights of excellence in all that we do.

DANA WATER COOLERS

"DANA" is the most familiar brand of drinking water coolers in the UAE with more than 40 years experience in designing equipments exclusively for standard and customized systems, we ensure the highest standards of quality for the global market. Our water coolers are used in worker Accommodations, Labour Camps, Mosques, Schools, Resturants. Our products are exported to Qatar, bahrain, Oman, Kuwait, kenya, Jordan, Saudi Arabia & vast number of other Arab Countries.


Key Features:-

1. Condensing Unit:- Heavy duty, Noisless, designed for the extreme desert conditions. Specially designed for countries with hot climates. Peak cooling capacity is taken at desert ambient 50C rated conditions to get chilled water at +12C to +5C.
2. Inner tank:- Fabricated hygienically with stainless steel 304GR fitted with leak proof hygienic attachments. The inner tank & outer body is insulated under pressure with CFC free polyurethane foam 50mm thick.
3. Drip Tray:- High quality & maintenance free drip proof taps are provided with splash proof grating on the drip tray to get a continuous fresh flow of water.



TROPICALISED

Specially designed for countries with hot climate. To cope with these extreme climate the copper tubing round the tank is covered with an aluminium conductive compound for better heat transfer



POLYURETHANE INSULATION

Polyurethane is injected under pressure between strong walls with great resultant strength and high insulation value Ozone friendly.



FAUCETS AND DRIP TRAY

The heavy plated drip proof faucets are located at a convenient height with the waste water tray to prevent splashing and facilitate easy removal of dirt



FLOAT VALVE/WATER INLET AND OUTLET CONNECTION

High quality nickel plated brass float valve and water inlet and outlet connections prevent rust and ensure most hygienic water.



COPER TUBE

The Copper tube around the tank is flattened so that the surface of the tube touching the water tank is increased by 70%. Also, Conductive Aluminium paste is placed in between the tube and the surface of the tank increasing the efficiency of the water cooler by 70%. As a result less electricity is consumed as the water is cooled much faster.



PLASTIC FEET

Prevents humidity from affecting the unit and in raining days allows water to flow under without damaging the equipment.



STAINLESS STEEL TANK

The open storage tank in high quality stainless steel 304 gaurantess crystal clear drinking water. Each tank is double tested, once before insulation and at the end of the production process to the highest standards of health and hygiene.



OZONE FRIENDLY R134a

CHOOSE SUITABLE MODEL



DANA DWC25-2

MODEL	DANA DWC25-2
Type	Storage Stainless Steel
Dimension	1240(H)x585(W)x605(D)mm
Storage Capacity	11 US Gallons
Cooling Capacity	25 US Gallons
No. of Taps	2
Condensing Power	1/4 HP
Water Supply & Drain Size	1/2" BSP
Water Outlet Temp.	4C-10C
Max Current	1.8 amps
Power Connections	13 amps 3 Pinplug
Weight	25kg



DANA DWC35-2

MODEL	DANA DWC35-2
Type	Storage Stainless Steel
Dimension	1240(H)x585(W)x605(D)mm
Storage Capacity	15 US Gallons
Cooling Capacity	35 US Gallons
No. of Taps	2
Condensing Power	1/4 HP
Water Supply & Drain Size	1/2" BSP
Water Outlet Temp.	4C-10C
Max Current	2.1 amps
Power Connections	13 amps 3 Pinplug
Weight	30kg



DANA DWC65-3

MODEL	DANA DWC65-3
Type	Storage Stainless Steel
Dimension	1275(H)x680(W)x650(D)mm
Storage Capacity	20 US Gallons
Cooling Capacity	65 US Gallons
No. of Taps	3
Condensing Power	1/3 HP
Water Supply & Drain Size	1/2" BSP
Water Outlet Temp.	4C-10C
Max Current	2.5 amps
Power Connections	13 amps 3 Pinplug
Weight	45kg



DANA DWC85-4

MODEL	DANA DWC85-4
Type	Storage Stainless Steel
Dimension	1275(H)x860(W)x650(D)mm
Storage Capacity	27 US Gallons
Cooling Capacity	85 US Gallons
No. of Taps	4
Condensing Power	1/2 HP
Water Supply & Drain Size	1/2" BSP
Water Outlet Temp.	4C-10C
Max Current	3.0 amps
Power Connections	13 amps 3 Pinplug
Weight	65kg



DANA DWC100-4

MODEL	DANA DWC100-4
Type	Storage Stainless Steel
Dimension	1275(H)x970(W)x730(D)mm
Storage Capacity	39 US Gallons
Cooling Capacity	100 US Gallons
No. of Taps	4
Condensing Power	3/4 HP
Water Supply & Drain Size	1/2" BSP
Water Outlet Temp.	4C-10C
Max Current	4.2 amps
Power Connections	13 amps 3 Pinplug
Weight	75kg



DANA DWC125-5

MODEL	DANA DWC125-5
Type	Storage Stainless Steel
Dimension	1275(H)x1100(W)x730(D)mm
Storage Capacity	46 US Gallons
Cooling Capacity	125 US Gallons
No. of Taps	5
Condensing Power	3/4 HP
Water Supply & Drain Size	1/2" BSP
Water Outlet Temp.	4C-10C
Max Current	5.8 amps
Power Connections	13 amps 3 Pinplug
Weight	80kg



DANA DWC150-4

MODEL	DANA DWC150-4
Type	Storage Stainless Steel
Dimension	1275(H)x950(W)x750(D)mm
Storage Capacity	50 US Gallons
Cooling Capacity	150 US Gallons
No. of Taps	4
Condensing Power	3/4 HP
Water Supply & Drain Size	1/2" BSP
Water Outlet Temp.	4C-10C
Max Current	6.2 amps
Power Connections	13 amps 3 Pinplug
Weight	85kg



DANA DWC250-4

MODEL	DANA DWC250-4
Type	Storage Stainless Steel
Dimension	1510(H)x1100(W)x800(D)mm
Storage Capacity	100 US Gallons
Cooling Capacity	250 US Gallons
No. of Taps	4
Condensing Power	3/4 HP
Water Supply & Drain Size	1/2" BSP
Water Outlet Temp.	4C-10C
Max Current	6.8 amps
Power Connections	13 amps 3 Pinplug
Weight	90kg

DANA FOUNTAIN WATER COOLERS



Salient Features

- * Stainless Steel 316 (Food grade) tube with in tube heat exchanger insulated by EPS.
- * R134 a Refrigerant gas - Ozone Friendly.
- * Cost efficient & silent motor compressor.
- * External body made of polished stainless steel 316.
- * Polished stainless steel cover with grooves to contain spatter.
- * Automatic water temperature control.
- * Chromed brass tap (cup and jet) with water stream adjustment.
- * Syphon Drain: Eliminates unpleasant odors that emanate from the sewer.

Technical Data for DFC-F1

Electrical Data

Voltage [v]	220 - 230 Volt A/C Single Phase
Frequency[Hz]	50 - 60Hz
Current [A]	1 - 1.9 Amperes
Power [W]	183 watts

Refrigerant Data

Refrigerant Gas	Ozone Friendly R - 134a
Refrigerant Quality	70gms

Cooling Data

Water Temperature Inlet/Outlet [Degress Celsius]	Cooling Capacity Liters/hours
21 degrees C/10 degrees C	16 Liters / Hour
27 degrees C/10 degrees C	14 Liters / Hour
32 degrees C/10 degrees C	12 Liters / Hour
38 degrees C/10 degrees C	10 Liters / Hour

Dimensions & Weight

Dimensions	310mm [width] x 310mm [depth] x 985mm [height]
Weight	23 Kgs.



DANA GROUP OF COMPANIES

[An ISO 9001 : 2008 Certified Company]

Corporate Office: Suite No 405B, Centurion Star Building
Opp. Deira City Center, Dubai | P.O. Box 40743 | Dubai, UAE

P.O. BOX : 40743, Dubai, UAE

Tel: +971-4-221-7273, +971-6-748-7402 II

Fax: +971-4-221-5940, +971-6-748-7406

Web: www.danagroups.com, www.danasteel.com

Mail: info@danagroups.com, drdana@eim.ae

: facebook.com/danagroups : [danagroups](https://twitter.com/danagroups)



Contact Person

Mob:- Mr. Ankur - +971-050-7983153

Mr. Usman - +971-050-7445248

Mr. Umar - +971-055-8676171